

# BA CALVING & FEEDING EQUIPMENT

For All Your Calf Rearing and Mobile Feeding Needs







0800 833 538 | orders@bapsnz.com



# **B**AND **TE**

BA PUMPS & SPRAYERS

#### **BA Pumps & Sprayers and Tokoroa Engineering**

Since late 2024, BA Pumps & Sprayers are proud to manufacture and supply Tokoroa Engineering's trusted range of products. For years, Tokoroa Engineering has been synonymous with designing and producing durable, high-quality trailers and feeders, purpose-built for New Zealand's dairy farmers. Our renowned calf trailers, feed trailers and Milk Bar™ mobile calf feeders have become mainstream on farms nationwide, valued for their ability to perform in even the toughest conditions.

At our modern manufacturing facility in Hautapu, Cambridge, we are dedicated to continuing Tokoroa Engineering's legacy of quality and reliability.



Whether you're in need of rugged trailers, robust feeders, or essential spare parts, our combined expertise ensures that we continue to deliver practical, efficient solutions to meet the needs of New Zealand farmers. Together, we are committed to supporting your success with reliable, locally made equipment designed to keep your farm running smoothly.

Yours sincerely, Mark, Penny, and Guy Rendle



GET IN TOUCH FOR ALL YOUR MOBILE CALF REARING NEEDS 0800 833 538 orders@bapsnz.com



### **FEED TRAILERS**

- Super heavy-duty durable plastic trough with bung.
- Troughs are not bolted to the frame to minimise the chance of damage from knocks and make cleaning easier.
- Fully hot-dipped galvanized frames.
- 8 inch tractor grip 6ply tyres for load carrying.

### **CALF TRAILERS**

- NZ Built Tough and durable.
- Fully hot-dipped galvanized frame construction.
- Easy to clean Hygienic mesh flooring, removable gates.

### **BA PRO SPREADER**

- Purpose-built for reliable and consistent application of Causmag across pasture during calving.
- Also suitable for seed, bait and fertiliser application.
- Innovative hopper and aperture design ensures smooth flow and even spread.
- Durable, low-maintenance build.

### **CALFETERIAS**

- NZ Built with UV-stabilised polyethylene tank.
- Easy to clean Open trough design, no pipes or fiddly bits.
- Quick to fill Large taps and 50L tank markings make filling accurate and fast. The opaque tank lets you quickly check the volume.
- Fitted with industry-leading Milk Bar<sup>™</sup> Teats that mimic natural suckling to support digestion, reduce cross-suckling, and improve calf health.

# FEED TRAILERS 4M/6M CALF FEEDER




### **FEATURES:**

- 8 inch tractor grip 6ply tyres.
- Troughs deliberately not bolted to frame so knocks don't result in troughs being torn away.
- Super heavy-duty plastic trough with bung for easy drainage and cleaning.
- "Oily bush" steering pivot system requires no lubrication, reducing

maintenance.

- Twin front wheels for improved load distribution and maneuverability.
- Hot-dipped galvanized frame for superior durability and rust resistance.
- Parking brake can be engaged when drawbar is raised vertically, out of harms way.



#### GET IN TOUCH FOR ALL YOUR MOBILE CALF REARING NEEDS.

CALL OR EMAIL OUR TEAM: Ph: 0800 833 538 E: orders@bapsnz.com tokoroaengineering.co.nz



# FEED TRAILERS 4M/6M PREMIUM FEEDER



## FEATURES:

- 8 inch tractor grip 6ply tyres.
- Fully hot-dipped galvanized frame provides excellent durability and longevity in tough, corrosive conditions.
- Super heavy-duty plastic trough with bung for easy drainage and cleaning.
- Troughs deliberately not bolted to frame so knocks don't result in troughs being torn away, and for ease of cleaning.
- Twin front wheels distribute the load evenly, improving traction and making tight turns easier.
- The "oily bush" pivot system offers smooth, reliable steering with minimal upkeep.
- Parking brake system automatically engages when the drawbar is raised.
- Walking beam tandem rear axle for load capacity and smooth travel (6M version only).



.

🔋 tokoroaengineering.co.nz



# QUICK HITCH 6M FEEDER



### **FEATURES:**

- Tare Weight: 600kg.
- Gross Weight: 2000kg (Palm Kernel loaded).
- Trough Width: 1m.
- Capacity: 2400L.
- Frame height: 700mm .
- 12 inch tractor grip 6ply tyres.
- Fully hot dipped galvanized frame.

- Troughs deliberately not bolted to frame so knocks don't result in troughs being torn away, and for ease of cleaning.
- Super heavy duty durable plastic trough with bung.
- Built with a 50mm towing eye.
- Feeds approximately 300 cows.



# DRAWBAR 4M FEEDER

### **FEATURES:**

- Tare Weight: 150kg.
- Gross Weight: 625kg (Palm Kernel loaded).
- Trough Width: 800mm.
- Capacity: 675L.
- Frame height: 610mm.
- 8 inch tractor grip 6ply tyres.
- Fully hot-dipped galvanized frame.

- Troughs deliberately not bolted to frame so knocks don't result in troughs being torn away, and for ease of cleaning.
- Super heavy-duty durable plastic trough with bung.
- Suitable for younger stock.



### **CALF TRAILERS**

# **15 CALF TRAILER**

### **FEATURES:**

- Tare Weight 150kg.
- Size: 1900 x 1500mm (2.85sq meters).
- Deck Height: 560mm.
- 1 pen/1 door.
- Ideal for smaller calf groups.
- Easy loading and unloading.

- Equipped with a mesh floor that promotes excellent hygiene and simplifies cleaning.
- Built with a fully hot-dipped galvanized frame for long-term durability and rust resistance.



# 20/40 CALF TRAILER

### **FEATURES:**

- 2 pens/4 doors.
- Transports up to 20/40 calves safely.
- Easy loading and unloading.
- Removable gates provide flexibility for different transport needs.
- Hot-dipped galvanized frame with 40mm pivot shafts in grease-less plastic bushes.
- Hygienic mesh flooring minimizes infection risks and ensures easy cleaning.
- Tandem walking beam axle for load carrying and a smooth ride.

	15-CALF TRAILER	20-CALF TRAILER	40-CALF TRAILER
PRODUCT CODE	ME-CT15	ME-CT20	ME-CT40
TARE WEIGHT	150kg	250kg	450kg
DIMENSIONS (L × W)	1900 x 1500mm	2400 × 1700mm	3700 × 2 200mm
DECK AREA	2.85 m²	4.20 m²	8.14 m²
DECK HEIGHT	560mm	580mm	600mm



# MILK BAR<sup>TM</sup> CLASSIC RANGE

### **FEATURES:**

- A 40, 50 or 60-teat feeder with a 500L molded tank.
- Single-axle design for easy transport across the farm.
- Durable and reliable NZ Built with UVstabilised polyethylene tanks and manifolds and hot-dipped galvanized frames.
- Front to back levelling system.
- Easy to clean Open trough design, no pipes or fiddly bits. Teats are pulled through, so they

won't move, and the whole unit completely drains.

- Quick to fill Large taps and 50L tank markings make filling accurate and fast. The opaque tank lets you quickly check the volume.
- Fitted with industry-leading Milk Bar<sup>™</sup> Teats that mimic natural suckling to support digestion, reduce cross-suckling, and improve calf health.

PRODUCT CODE	TEAT COUNT	AXLE TYPE	TANK SIZE	TEAT SPACING	SINGLE AXLE WEIGHT	DRAWBAR LENGTH
MB40SC	40	Single Axle	500L	140mm	145kg	1.55m
MB50SC	50	Single Axle	500L	110mm	145kg	1.55m
MB60SC	60	Single Axle	500L	110mm	145kg	1.55m



#### **CALFETERIAS**

# MILK BAR<sup>TM</sup> DELUXE RANGE

Ideal for larger operations or where distance is travelled



MB50T750D

#### **FEATURES:**

- 40, 50 or 60 mobile teat feeder.
- 500L or 750L tank.
- Tandem axle design for enhanced stability and smooth towing.
- Front to back and sideways levelling gives all calves their share of milk.
- Two drain taps for quick and efficient cleaning.
- Round tank eliminates milk surge, improving stability and flow.
- Drawbar handle, guard and jockey wheel.
- Durable and reliable NZ Built with UVstabilised polyethylene tanks and manifolds and hot-dipped galvanized frames.
- Easy to clean Open trough design, no pipes or fiddly bits. Teats are pulled through, so they won't move, and the whole unit completely drains.
- Quick to fill Large taps and 50L tank markings make filling accurate and fast. The opaque tank lets you quickly check the volume.
- Fitted with industry-leading Milk Bar™ Teats that mimic natural suckling to support digestion, reduce cross-suckling, and improve calf health.

Our Deluxe Tandem range feature walking beams mounted to a sprung axle for stability when driving over bumpy terrain.



PRODUCT CODE	TEAT COUNT	AXLE TYPE	TANK SIZE	TEAT SPACING	SINGLE AXLE WEIGHT	TANDEM AXLE WEIGHT	DRAWBAR LENGTH
MB40SD	40	Single Axle	500L	140mm	145kg	-	1.55m
MB40TD	40	Tandem Axle	500L	140mm	-	184kg	1.55m
MB40T750D	40	Tandem Axle	750L	140mm	-	184kg	1.55m
MB50SD	50	Single Axle	500L	110mm	145kg	-	1.55m
MB50TD	50	Tandem Axle	500L	110mm	-	184kg	1.55m
MB50T750D	50	Tandem Axle	750L	110mm	-	184kg	1.55m
MB60SD	60	Single Axle	500L	110mm	157kg	-	1.25m
MB60TD	60	Tandem Axle	500L	110mm	-	196kg	1.25m
MB60T750D	60	Tandem Axle	750L	110mm	-	196kg	1.25m



# CALFETERIAS



# MILK BAR<sup>™</sup> MOBILE FEEDER 80/100

The ultimate in Mobile Calf Feeders

### **FEATURES:**

- Large numbers of calves requires extra functionality and the Milk Bar<sup>™</sup> Super Deluxe models are made for the job.
- Limitless steering axle and extra long drawbar.
- High spec 75 x 50mm box section steel chassis with suspension for an improved ride.
- Tandem axles at the rear for load carrying.
- Front to back as well as sideways levelling gives all calves their share of milk.
- Two tanks, each holding 550L with marked gradients and connected with 50mm taps and plumbing.
- Fitted with industry-leading Milk Bar™ Teats that mimic natural suckling to support digestion, reduce cross-suckling, and improve calf health.



MILK BAR<sup>TM</sup>





Control taps to fill manifolds from either tank.



Front to back and sideways levelling system.



Easy-to-clean open trough design.





High load carrying in tandem axle design.



Pull wires used to compress springs to achieve sideways levelling.

PRODUCT CODE	TEAT COUNT	VOLUME	MANIFOLD VOLUME	FRONT AXLE TRACK	REAR VAXLE TRACK	LXWXH	DRAWBAR LENGTH
MB80	80	1100L	400L	1.18m	1.58m	5.5m x 1.8m x 1.2m	2m
MB100	100	1100L	500L	1.18m	1.58m	7.1m x 1.8m x 1.2m	2m

### **MILK KART & MIXER**

# MILK KART 550L DELUXE

- A 550L mobile Milk Kart with a 12V pump and a 10m hose & nozzle.
- Durable and reliable NZ Built.
- 45cm diameter lid.
- Galvanised trailer.
- Drain tap for cleaning.
- 550L tank with marked gradient.
- Large carry tray.

CODE: MBMK550D (12V PUMP) OR MBMK550C (NO PUMP)

# MILK MIXER 550L 2" POLY PUMP

- 550L tank with marked gradient.
- 45cm diameter lid.
- Galvanised trailer.
- Drain tap for cleaning.
- Large carry tray.
- 2" electric start petrol pump with a 10m hose and nozzle.
- Circulating system to mix milk powder.



- Holds 150kg.
- L 1.2m x W 800mm.
- Opening height: 550mm. Total height: 730mm.
- Designed to keep meal dry and edible, ensuring minimal loss.
- Completely wind, rain, and pest proof.
- Counter balance lids that calves can easily lift with their noses.
- Fitted with skids.







MILK BAR

### **SPREADERS**

# **BA PRO-SPREADERS**

#### BA PRO-SPREAD TRAILED CAUSMAG SPREADER

Specifically designed for the application of Causmag, the BAF70 and BAF140 feature an innovative hopper and aperture design that also allows for effective spreading of products like urea and grass seed. Their compact build and low spinner height ensure reliable coverage across a range of conditions.

#### STANDARD FEATURES:

- Galvanised frame and spinner disc for enhanced durability
- Polyethylene hopper and lid lightweight and corrosionresistant
- Spreader deflector shield helps prevent product build-up
- Grease-filled gearbox for smooth, low-maintenance
  operation
- Capacity (BAF70): 1 x 40kg bag of urea or 2 x 25kg bags
  of Causmag
- Capacity (BAF140): 2 x 40kg bags of urea or 4 x 25kg bags of Causmag.

#### BA PRO-SPREAD TRAILED FERTILISER SPREADER

#### BAF225 & BAF425 Fertiliser Spreaders

Compact and efficient, the BAF225 and BAF425 are purposebuilt for fertiliser application. A low spinner height and dual outlet hopper ensure even distribution, while curved spinner fins deliver consistent spread patterns. Ideal for farmers and lifestyle block owners alike. Also suitable for Causmag application on larger farms.

#### **STANDARD FEATURES:**

- Galvanised frame for maximum corrosion resistance
- Stainless steel spinner disc with adjustable fins
- Polyethylene hopper and lid
- Spreader deflector shield to reduce build-up and improve accuracy
- Clutch with single-lever control for aperture opening and drive engagement.
- Grease-filled gearbox for smooth, low-maintenance
  performance
- Capacity (BAF225-C): 4 x 40kg bags of urea
- Capacity (BAF425-C): 8 x 40kg bags of urea



#### **BAF70**

PRODUCT CODE	DESCRIPTION
BAF70	Pro-Spread 70L Causmag Spreader
BAF140	Pro-Spread 140L Causmag Spreader
BAF225-C	Pro-Spread 225L Fertiliser Spreader
BAF425-C	Pro-Spread 425L Fertiliser Spreader

BAF225-C



# **SPARE PARTS: CALF TRAILERS & FEEDERS**

[	,
ME-AX-4	ME-B-B
4mtr Rear Stub Axle 40x275mm	Brake Bar
ME-AX-6	3.536 LOCK NUT
6mtr Rear Axle	For Walking Beam / Steering Head
40x185mm	
ME-AX-CT	4537 HEAVY WASHER
Steering Head & Calf Trailer Axle 40x270mm	For Walking Beam / Steering Head
40x270mm	
ME-AX-WB	ME-WH-TGL / ME-WH-TGR
Walking Beam Stub Axle	Wheel Tractor Grip
32x225mm	Passenger Side (L) or Driver Side (R)
ME-AX-DE Double Ended Steering Head Axle	ME-WH-TURF Wheel Turf
32x410mm	wheel full
ME-WASH	ME-WASH-Y
Steering Head Washer Upper	Steering Head Washer Lower
40ID	
ME-BUSH50	ME-RIMP
Walking Beam Bush	Rim Painted
50mm long, 50 0D, 40 ID	
ME-BUSH75	ME-WH-BK
Steering Head & Calf Trailer Walking Beam Bush. 75mm long	Wheel Bearing Kit
Walking Beam Bush. / Smith long	00
ME-WB-6	ME-TR6
Walking Beam 6mtr feeder 640mm	Trough replacement 6mtr
ME-WB-CT	ME-TR-4
Walking Beam Calf Trailer	Trough replacement
700mm long with boss	4mtr
ME-WB-D	ME-TR-4C
Walking Beam Calf Trailer &	Trough replacement 4mtr Calf Feeder
Milk Bar Deluxe 640mm long with boss	
ME-DB-O	ME-TR-6C
Draw Bar Only	Trough replacement 6mtr Calf Feeder
· _ e	
ME-DB-C	ME-RIMG
Complete Draw Bar	Rim Galvanised
MB-FD-TH-KIT Rear Hitch Kit for	P100 Steering Head Complete
Premium/Calf Feeders	

# **SPARE PARTS:** MILK BAR<sup>™</sup> CALFETERIAS

MB-MAN-8 Manifold 8 teat for MB100 & MB80	MB-LJ Levelling Jack for levelling tank
MB-MAN-18D / MB-MAN-18P Manifold 18 teat for MB80 Driver Side (D) or Passenger Side (P)	MB-JW Jockey Wheel Complete
MB-MAN-23D / MB-MAN-23P Manifold 23 teat for MB100 Driver Side (D) or Passenger Side (P)	MB-JW-WH Jockey Wheel Only
MB-MAN-25 Manifold 25 teat for MB50	MB-IP Inspection Port
MB-MAN-30 Manifold 30 teat for MB60	MB-BU32 Bung for MB50 & MB60
MB-TNK-500 500 Litre Tank	MB-BU391 Bung for MB80 & MB100
MB-TNK-550 550 Litre Tank	MB-SL Screw Lid
MB-TNK-750 750 Litre Tank	MB-FOL Fold Over Lid
MB-TS-500      Image: Constraint of the second seco	MB-BC Breather Cap
MB-TS-750      X	MB-SH Suitcase Handle
MB-SP3 and MB-SP4 Spring 3Leaf and 4Leaf	MB-MF Mud Flap
MB-DB-EX Milk Bar Mobile Drawbar Extention	1138    Axle Nut
3034 Tandem Mud Guard	1131    Axle Washer





# PROUDLY NZ MADE FOR OVER 35 YEARS

At BA Pumps and Sprayers, we like to keep things simple. Our business approach combines good old-fashioned Kiwi ingenuity with the world's best components, backed by nationwide support and service. As specialist suppliers and manufacturers of pumps, sprayers, spreaders and more, our capabilities ensure you have everything you need for your farming needs.











GET IN TOUCH FOR ALL YOUR CALVING AND FEEDING FARM EQUIPMENT. CALL OR EMAIL OUR TEAM: Ph: 0800 833 538 E: orders@bapsnz.com tokoroaengineering.co.nz

BA PUMPS & SPRAYERS 89 HAUTAPU ROAD, CAMBRIDGE 3493



